UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 6,921,622 B2 APPLICATION NO. : 10/054532

: July 26, 2005

INVENTOR(S) : Geun Su Lee et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title Page, Column One, Field (73) Assignee

Please delete "Kyoungki-Do" and insert -- Kyoungki-do -- in its place.

Title Page, Column Two, Field (57) Abstract, Line 10

Please delete "157 mn" and insert -- 157mn -- in its place.

Title Page, Column Two, Field (57) Abstract, Line 11

Please delete "(157 mn)" and insert -- (157mn) -- in its place.

Title Page, Column Two, Field (57) Abstract, Line 12

Please delete "device" and insert -- device. -- in its place.

Title Page, Column Two, Field (57) Abstract, Figure of Formula 1

Please delete

and insert

"Formula 1"

-- Formula 1 --

in its place.

Page 1 of 2





UNITED STATES PATENT AND TRADEMARK OFFICE **CERTIFICATE OF CORRECTION**

PATENT NO.

: 6,921,622 B2

Page 2 of 2

APPLICATION NO.: 10/054532

DATED

: July 26, 2005

INVENTOR(S)

: Geun Su Lee et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 12, Lines 39-40

After "within the ranges" please delete "1-50 mol %: 0-50 mol %: 0-80 mol %," and insert -- 1-50mol%: 0-50mol%: 0-80mol%, -- in its place.

Column 13, Lines 56-57

After "within the ranges" please delete "1-50 mol %: 0-50 mol %: 0-80 mol %," and insert -- 1-50mol%: 0-50mol%: 0-80mol%, -- in its place.

Column 16, Line 46

After "within the ranges" please delete "1-50 mol %:" and insert -- 1-50mol%: -- in its place.

Column 16, Line 47

After "including" please delete "50 mol %:" and insert -- 50mol%: -- in its place.

Column 16, Line 48

After "including" please delete "80 mol %" and insert -- 80mol% -- in its place.

Signed and Sealed this

Seventeenth Day of October, 2006

JON W. DUDAS Director of the United States Patent and Trademark Office